

# Contents

	Acknowledgments	xiii
	Introduction	1
<b>Chapter 1</b>	<b>First Principles</b>	7
	Introduction	8
	Basic Principle 1: Focus on the users and their tasks, not on the technology	8
	Basic Principle 2: Consider function first, presentation later	18
	Basic Principle 3: Conform to the users' view of the task	26
	Basic Principle 4: Design for the common case	32
	Basic Principle 5: Don't distract users from their goals	35
	Basic Principle 6: Facilitate learning	37
	Basic Principle 7: Deliver information, not just data	41
	Basic Principle 8: Design for responsiveness	45
	Basic Principle 9: Try it out on users, then fix it!	48
<b>Chapter 2</b>	<b>GUI Control Bloopers</b>	51
	Introduction	52
	Using the wrong control	53
	Bloopers 1: Confusing checkboxes and radio buttons	53
	Bloopers 2: Using a checkbox for a non-ON/OFF setting	62
	Bloopers 3: Using command buttons as toggles	65
	Bloopers 4: Using tabs as radio buttons	67
	Bloopers 5: Too many tabs	70
	Bloopers 6: Using input controls for display-only data	77
	Bloopers 7: Overusing text fields for constrained input	84
	Using controls wrongly	88
	Bloopers 8: Dynamic menus	89
	Bloopers 9: Intolerant data fields	94

Blooper 10: Input fields and controls with no default	96
Blooper 11: Poor defaults	103
Blooper 12: Negative checkboxes	105

**Chapter 3 Navigation Bloopers** 107

Introduction	108
Not showing users where they are	108
Blooper 13: Window or page not identified	108
Blooper 14: Same title on different windows	112
Blooper 15: Window title doesn't match command or link	117
Leading users astray and not showing the way	122
Blooper 16: Distracting off-path buttons and links	122
Blooper 17: Self-links	126
Blooper 18: Too many levels of dialog boxes	131
Poor search navigation	138
Blooper 19: Competing search boxes	139
Blooper 20: Poor search results browsing	143
Blooper 21: Noisy search results	145

**Chapter 4 Textual Bloopers** 151

Introduction	152
Uncommunicative text	152
Blooper 22: Inconsistent terminology	153
Blooper 23: Unclear terminology	161
Blooper 24: Bad writing	165
Blooper 25: Too much text	169
Developer-centric text	173
Blooper 26: Speaking Geek	173
Blooper 27: Calling users "user" to their face	181
Blooper 28: Vague error messages	184
Misleading text	189
Blooper 29: Erroneous messages	189
Blooper 30: Text makes sense in isolation but is misleading in the GUI	193
Blooper 31: Misuse (or nonuse) of "..." on command labels	193

<b>Chapter 5</b>	<b>Graphic Design and Layout Bloopers</b>	197
	Introduction	198
	Bad layout and window placement	198
	Blooper 32: Easily missed information	198
	Blooper 33: Mixing dialog box control buttons with content control buttons	208
	Blooper 34: Misusing group boxes	212
	Blooper 35: Radio buttons too far apart	217
	Blooper 36: Labels too far from data fields	220
	Blooper 37: Inconsistent label alignment	226
	Blooper 38: Bad initial window location	228
	Troublesome typography	232
	Blooper 39: Tiny fonts	232
<b>Chapter 6</b>	<b>Interaction Bloopers</b>	239
	Introduction	240
	Deviating from task focus	241
	Blooper 40: Exposing the implementation to users	241
	Blooper 41: Needless restrictions	242
	Blooper 42: Confusable concepts	246
	Requiring unnecessary steps	250
	Blooper 43: Asking users for unneeded data	250
	Blooper 44: Asking users for random seeds	256
	Blooper 45: Pointless choice	258
	Burdening users' memory	264
	Blooper 46: Hard to remember ID	264
	Blooper 47: Long instructions that go away too soon	267
	Blooper 48: Unnecessary or poorly marked modes	269
	Taking control away from users	277
	Blooper 49: Automatic rearrangement of display	277
	Blooper 50: Dialog boxes that trap users	281
	Blooper 51: "Cancel" doesn't cancel	288
<b>Chapter 7</b>	<b>Responsiveness Bloopers</b>	293
	Introduction	294
	Common responsiveness bloopers	294

Blooper 52: Cursor doesn't keep up	294
Blooper 53: On-screen buttons acknowledge clicks too late	294
Blooper 54: Menus, sliders, and scrollbars lag behind	294
Blooper 55: Moving and sizing operations don't keep up	295
Blooper 56: Application doesn't indicate that it is busy	295
Blooper 57: Application is unresponsive during internal housekeeping	295
Blooper 58: Long operations don't display progress	295
Blooper 59: Long operations provide no way to cancel	295
Blooper 60: Application wastes idle time	295
Blooper 61: Application gives no feedback when it hangs	295
Blooper 62: Web site has huge images and animations	295
Blooper 63: Web site always reloads whole pages in response to small edits	295
Reasons for poor responsiveness	298
Reason 1: The facts about responsiveness are not widely known	298
Reason 2: UI designers rarely consider responsiveness during design	299
Reason 3: Programmers equate responsiveness with performance	300
Reason 4: Programmers treat user input like machine input	301
Reason 5: Developers use simple implementations	301
Reason 6: GUI software tools, components, and platforms are inadequate	302
Reason 7: Managers hire GUI programmers who lack the required skill	303
Avoiding responsiveness bloopers: Design principles	303
Responsiveness Principle 1: Responsiveness is not the same as performance	303
Responsiveness Principle 2: Processing resources are always limited	304
Responsiveness Principle 3: The user interface is a real-time interface	304
Responsiveness Principle 4: All delays are not equal: software need not do everything immediately	306
Responsiveness Principle 5: Software need not do tasks in the order in which they were requested	307
Responsiveness Principle 6: Software need not do everything it was asked to do	307
Responsiveness Principle 7: Human users are not computer programs	309

Avoiding responsiveness bloopers: Techniques	309
Timely feedback	310
Parallel problem solution	317
Queue optimization	319
Dynamic time management	320
Summary of responsiveness techniques	326
Conclusion	326
<b>Chapter 8 Management Bloopers</b>	<b>329</b>
Introduction	330
Counterproductive attitude	331
Blooper 64: Treating UI as low priority	331
Blooper 65: Misunderstanding what user interface professionals do	337
Blooper 66: Discounting the value of testing and iterative design	341
Counterproductive process	348
Blooper 67: Anarchic development	348
Blooper 68: No task expertise on the team	357
Blooper 69: Using poor tools and building blocks	365
Blooper 70: Giving programmers the fastest computers	370
Appendices	373
Appendix A: Glossary	373
Appendix B: How this book was usability tested	376
Appendix C: Task analysis of creating slide presentations—questions	379
Appendix D: Illustrating simplicity—the object/action matrix	381
Appendix E: Usability tests for every time and purpose	383
Bibliography	389
Index	397
About the Author	407
Web Appendix: Color Bloopers (visit <a href="http://www.gui-bloopers.com">www.gui-bloopers.com</a> )	1
Blooper 71: Text hard to read on background	1
Blooper 72: Relying on subtle color differences	5